

# ANIMA MIN

Milk Enhancing Minerals  
Scientifically Blended Mineral Mixer

|                                       |       |
|---------------------------------------|-------|
| Calcium                               | 24%   |
| Copper                                | 0.11% |
| Phosphorus                            | 9.2%  |
| Cobalt                                | 0.02% |
| Manganese                             | 0.11% |
| Sodium Chloride                       | 30%   |
| Iodine                                | 0.1%  |
| Fluorine <small>not more than</small> | 0.03% |
| Iron                                  | 0.60% |

## INDICATION:

- Mineral deficiencies.
- Improvement of milk production & fat percentage.
- Improving fertility, growth & development.

## DOSAGE:

- Stall-fed animal : 1 Kg/100 Kg Feed Concentrate
- Individual animal :
  1. Adult Cow & Buffalo 25 g daily
  2. Calf 5-15 g daily



# GWADHA

Flavoured Mineral with Amino Acids  
Complete Minerals to Improve Productivity

## BENEFITS OF GWADHA

- Balances ration, prevent deficiency diseases like anaemia, milk fever, post-parturient haemoglobinuria, rickets, osteorosis & osteomalacia
- Improves feeding due to enhanced palatability
- Increase milk production
- Improves milk SNF & milk-fat content
- Ensures better growth in young animals & timely maturity
- Improves fertility & conception rate

## DOSAGE:

- Stall-fed animal : 1 kg/100 kg feed concentrate
- Individual animal:
  1. Adult cow & buffalo 25 g daily
  - . Calf 5-15 g daily

|                   |        |
|-------------------|--------|
| Calcium           | 28.5%  |
| Phosphorus        | 12%    |
| Iron              | 0.6%   |
| Cobalt            | 0.012% |
| Copper            | 0.075% |
| Iodine            | 0.028% |
| Zinc              | 0.18%  |
| Manganese         | 0.13%  |
| DL-Methionine     | 0.18%  |
| L-Lysine Mono Hcl | 0.45%  |
| Flavour           | Dairy  |



# ALC MIX

Chelated Mineral Mixture with  
Vitamins, Chromium, & Probiotics

Each 1 kg contains:

**Soluble Vitamins**

Vitamin A : 750000 IU  
Vitamin D3 : 100000 IU  
Vitamin E : 990 IU  
Vitamin B12 : 3000 mcg  
Nicotinamide : 1000 mg  
Choline : 30 gm

**Macro Minerals**

Calcium : 245 g  
Phosphorus : 120 g  
Magnesium : 10 g

Each 1 kg contains:

**Trace Minerals**

Copper : 4000 mg  
(Metho-Chelated)  
Zinc : 12000 mg  
(Metho-Chelated)  
Cobalt : 100 mg  
Iodine : 250 mg  
Iron : 5000 mg  
Manganese : 900 mg  
Selenium : 10 mg  
Biotin : 550 mcg

**Probiotics**

Saccharomyces sp.: 10 Billion CFU

## BENEFITS OF GWADHA

- Improve milk yield and to improve reproductive ability of animals

## DOSAGE:

1. Cow / Buffalo : 30-35 g mix in feed
2. Calves & Heifers : 15-25 g for better growth in health
3. Addition in feed: 1 kg/100 kg of feed



# ANIMA M GOLD

Methionine – Mineral chelates & Vitamins for  
maximum milk & healthy reproduction

|                       |                        |
|-----------------------|------------------------|
| Each 1.25 kg contains | Each 1.25 kg contains: |
| Calcium : 250 gm      | Potassium : 100 mg     |
| Phosphorus : 127.5 gm | Sodium : 6 mg          |
| Magnesium : 6.0 gm    | Selenium : 11 mg       |
| Manganese : 1.5 gm    | Vitamin A : 700000 IU  |
| Iron : 1.55 gm        | Vitamin D3 : 70000 IU  |
| Iodine : 323 mg       | Vitamin E : 250 mg     |
| Copper : 4.3 gm       | Nicotinamide : 1000 mg |
| Zinc : 9.5 gm         | Chromium : 79 mg       |
| Cobalt : 150 mg       |                        |
| Sulphur : 7.2 gm      |                        |

## DOSAGE & ADMINISTRATION:

1. Cow/Buffalo: 30 g/day for maintenance  
50 g/day for higher milk production
2. Calf / Sheep / Goat / Pig: 15 g/day
3. Horse : 50 g/day
4. Else as 0.5-1% in feed or as recommended by  
veterinarian or animal nutritionist.



# ALC M

## Each 250 gms Contains:

Calcium : 70 gm  
Manganese : 2.5 gm  
Iodine : 0.1 gm  
Iron : 1.00 gm  
Zinc : 1.7 gm  
Copper : 0.20 gm  
Cobalt : 0.040 gm  
Vitamin A : 5,00,000 IU  
Vitamin D3 : 1,00,000 IU  
Vitamin B2 : 0.2 gm  
Vitamin E : 75 units  
Vitamin K : 0.2 gm  
Calcium Pantothenate : 0.25 gm  
Nicotinamide : 1.25 gm  
Vitamin B12: 0.5 mg  
Choline Chloride : 15 gm

## INDICATION

- For quick growth, boost in immunity & productivity
- For strong bone formation & thick glossy coat
- Early maturity of animals & improved conception rate
- Supplementation for aged, unthrifty & convalescent animals

## DOSAGE & ADMINISTRATION:

1. Cattle, Horse, Sheep, Goat & Pig (finishers)  
Add 1 kg of ALC M to 400 kg of feed.
2. In case of individual feeding, recommended dosage for adult cattle is 25 g/day.
3. Young animals can be feed 5-8 g/day.



# ALC PLUS GOLD

## BENEFITS

- Improve milk yeild
- Silent heat
- Repeat breeding
- Improve health & immunity

## DOSAGE

30-50 gm daily in feed to improve reproductive ability and milk yield

Each 1 Kg contains:

Copper as Methionine Hydroxy analogue complex 4500 mg  
Manganese as Methionine Hydroxy analogue complex 3900 mg  
Zinc as Methionine Hydroxy analogue complex 9600 mg  
Iron 3000 mg  
Cobalt 114 mg  
Iodine 370 mg  
Bioactive Chromium 65 mg  
Selenium 7.5 mg  
Sodium 4500 mg  
Sulphur 6270 mg  
Calcium 191 gm  
Phosphorous 95 gm  
Magnesium 4.5 gm  
Vitamin A 750000 IU  
Vitamin D3 70000 IU  
Vitamin E 200 mg  
Niacinamide 800 mg  
D-Biotin (2%) 500000 mcg  
Choline Chloride 30 gm  
Methionine Activity as HMTBA 94.2 gm



# ALC PREMIX

Each 250 Gm Contains:

Vitamin A : 1,00,00,000 IU  
Vitamin D3 : 20,00,000 IU  
Vitamin B1 : 800 mg  
Vitamin B2 : 5,000 mg  
Vitamin B6 : 1,600 mg  
Vitamin B12 : 20,500 mcg  
Niacin : 12,000 mg  
Calcium D-Pantothenate : 8,000 mg  
Vitamin K3 : 1,200 mg  
Vitamin E : 8,200 mg  
Folic Acid : 400 mg

## BENEFITS

- To meet metabolic and production needs

## DOSAGE

Add 250 g / ton of feed



# ALC MINMIX

## BENEFITS

- Improve milk yield and to improve reproductive ability of animals

## DOSAGE

1. Cow / Buffalo : 30-35 g mix in feed
2. Calves & Heifers : 15-25 g for better growth in health
3. Addition in feed: 1 kg/100 kg of feed

Each Kg contains:

Zinc sulfate equivalent to elemental Zinc 75 g  
Ferrous sulfate equivalent to elemental Iron 40 g  
MN sulfate equivalent to elemental Manganese 12 g  
Copper sulfate equivalent to elemental Copper 12 g  
Cobalt sulfate equivalent to elemental Cobalt 1200 mg  
Sodium selenite equivalent to elemental Selenium 200 mg  
Potassium iodide equivalent to elemental Iodine 4000 mg  
Vitamin A 5000000 IU  
Vitamin D3 1000000 IU  
Vitamin E 220 mg



# ALCFORTE

## Nutritional Value Per Kg

|                      |        |
|----------------------|--------|
| Vitamin-A            | 50MIU  |
| Vitamin-D3           | 14MIU  |
| Vitamin-E            | 20g    |
| Vitamin-K3           | 8g     |
| Vitamin-B1           | 3.2g   |
| Vitamin-B2           | 32g    |
| Vitamin-B6           | 3.6g   |
| Vitamin-B12          | 0.024g |
| Niacin               | 28g    |
| Calcium Pantothenate | 16g    |
| Folic Acid           | 5.6g   |
| Carrier              | q.s.   |

## BENEFITS

To meet metabolic and production needs

## DOSAGE

Add 250 g / ton of feed



# ANI - FORTE

## BENEFITS

- Faster weight gain
- Prolonged peak production
- Better FCR
- Improved hatchability
- Healthy flock
- Prevents leg weakness
- Prevents fatty liver syndrome

## DOSAGE

1. Poultry: 2 kg per ton of feed
2. Fish & Shrimp: 2-4 kg per ton of feed

## Each 2 Kg Contains:

Vitamin A : 125,00,000 IU  
Vitamin D3 : 25,00,000 IU  
Vitamin B2 : 2 gm  
Vitamin B6 : 0.4 gm  
Vitamin E : 800 IU  
Vitamin K : 2 gm  
Calcium Pantothenate: 4 gm

## Each 2 Kg contains:

Vitamin B12 : 5.6 mg  
Choline Chloride: 10 gm  
Calcium : 700 gm  
Manganese : 35 gm  
Iodine : 1 gm  
Iron: 8 gm  
Zinc : 25 gm  
Copper: 2 gm  
Carrier: Q.S.



# ALYTE C

Each 250 gm Contains:

Sodium : 2 gm

Potassium : 7.50 gm

Sodium Bicarbonate : 3 gm

Sodium Citrate : 6.5 gm

Calcium Lactate : 4.25 gm

Magnesium : 2.50 gm

Vitamin C (Coated): 1.25 gm

Dextrose Anhydrous: Q.S.

## BENEFITS

- To prevent and treat dehydration and to maintain osmotic balance.
- In summer to avoid dehydration and heat stroke.
- As an aid in diarrhoea and dysentery.

To maintain correct osmotic pressure and precise acid base equilibrium

## DOSAGE

1. Cow, Buffaloes: 60 gm daily for 5 days
2. Calves, Sheep and Goat: 30 gm daily for 5 day.
3. Dogs: 5-10 gm per day
4. Horses & Camels
  - Light Work : 30 gm per day
  - Moderate Work: 60 gm per day
  - Intense work: 90 gm per day
  - Or as advise by Consultant Veterinarian



# ANIMA V

## BENEFITS

Vitamins & Minerals with probiotics for better milk production and growth, Nutrient for Reproduction, Production, Growth & Development.

## DOSAGE

1. Cow & Buffalo : 30-50 gm/day
2. Calf/Sheep/Goat/Pig : 15 gm/day or 0.5% to 1% in feed
3. Horse : 50 gm / day

## Each 1 Kg contains:

Vitamin A : 7,00,000 IU  
Vitamin D3 : 70,000 IU  
Vitamin E : 250 mg  
Iodine : 323 mg  
Selenium : 12 mg  
Manganese : 1,550 mg  
Nicotinamide : 1,005 mg  
Calcium : 25.5%  
Phosphorus : 12.50%

## Each 1 Kg contains:

Sulphur : 0.72%  
Copper : 5,000 mg  
Sodium : 5.90 mg  
Cobalt : 150 mg  
Potassium : 100 mg  
Magnesium : 6,100 mg  
Iron : 1,500 mg  
Zinc : 9,500 mg  
Lactobacillus Sp. : 1.5 x 10<sup>11</sup> CFU  
Saccharomyces Cerevisiae : 35,000 CFU



# ELECTRO-V-WS

## BENEFITS

- Amino Acid+Vitamins

## DOSAGE

Dissolve 100 g of powder through to every 200 liters of drinking water for 3-5 days

### Each 1 Kg Contains:

Vitamin A: 18.0 M.I.U.  
Vitamin D3: 4.0 M.I.U.  
Vitamin E: 6.4 g  
Vitamin B2: 3.5 g  
Vitamin K3: 2.0 g  
Nicotinamide: 18 g  
Folic Acid: 7.0 g  
Vitamin B1: 1.5 g  
Vitamin B6: 2.6 g

### Each 1 Kg contains:

Biotin: 16 mg  
Vitamin B12: 10.0 mg  
Vitamin C: 11.0 g  
Threonine: 5.0 g  
Lysine: 20.0 g  
Methionine: 10.0 mg  
Magnesium: 7.0 mg  
Potassium: 8.5 mg  
Sodium: 20.0 mg  
Citric Acid: 18.0 g



# O-VITA

Each 200 gm Contains:

Oxytetracycline HCL 11 gm

Vitamin A 440,000 IU

Vitamin D3 79,100 I.U

Vitamin E 132 I.U

Vitamin B12 460 mcg

Vitamin K 186 mg

Nicotinamide 2640 mg

Riboflavin 572 mg

Pantothenic acid 727 mg

## BENEFITS

A broad-spectrum antibiotic with essential vitamins for control and prevention of specific diseases in growing Chicks.

## DOSAGE

Day old periods: Add 5 g to each 5 lt. of drinking water for one to two weeks. Stress Periods: To maintain appetite at vaccinations, during extremes of temperature and other upsets, use at the rate of 5 g to each 10 lt. of drinking water.

Start this treatment two days before vaccinations or planned feed change and continue for seven days.

At times of sickness: Add 5 g to each 5 lt. of drinking water and continue treatment for seven days. To prevent Vaccination

Stress: Give chicks solution containing 5 g to each 10 lt. of drinking water for two days before and seven days after all vaccinations.

Laying Hens : Add 5 g to each 10 lt. of drinking water for four weeks followed by 5 g in 50 lt. of drinking water daily.



# FLUBE

## Each Kg Contains:

|                       |                       |
|-----------------------|-----------------------|
| Citric acid           | 150,000 mg            |
| Ascorbic acid         | 50,000 mg             |
| Malic acid            | 5,000 mg              |
| Glutamic acid         | 5,000 mg              |
| $\alpha$ - tocopherol | 35,000 mg             |
| Selenium              | 10,000 mcg            |
| Amylase               | 13,500 IU             |
| Protease              | 45,000 IU             |
| Xylanase              | 93,000 IU             |
| Bacillus spp          | 5x10 <sup>9</sup> CFU |
| Lactobacillus spp     | 5x10 <sup>9</sup> CFU |
| Exp.qs.               | 1000 g                |

## BENEFITS

- Restricts the harmful bacteria, increase the micro flora help to prevent the intestinal disease.
- Strengthens the body's natural immune system.
- Relief of stress due to heat, transport, increase in vital capacity when raising Poultry at high densities.
- Improves immunization rate on vaccination.
- Quickly reduces the pH value of the gut contents thus helping digestion and absorption of nutrients. Improves effectiveness of digestive system.
- Increases the feed conversion rate, promote the fast weight gain.

## DOSAGE

Dissolve in drinking water, use during high risk of sickness.

- Poultry :100g/100 lt. of water.
- Ostrich: 100g/120 lt. of water
- Pet birds: 1g/2 lt. of water.



# VIT-C PLUS

## Each Kg Contains:

Acetyl Salicylic Acid 250 GM  
Ascorbic Acid 250 GM  
Vitamin K3 25 GM  
Lactobacillus Sp.  $1.5 \times 10^{11}$  CFU  
Saccharomyces Cerevisiae 60 M. CFU  
Base Q.S.

## BENEFITS

- In cases of stress, heat stroke, Post vaccinal and acute bacterial and viral infections associated with high fever.
- Maintain a health balance of microflora in the intestinal environment.

## DOSAGE

1. Poultry: 100 gm /200 lt. of drinking water.
2. Sheep & Cattle: 10 gm /100 kg body weight twice daily.



# B-VITA

Each 1000 gm Contains:

Vitamin B1 4000 mg.  
Folic acid 250000 mcg  
Vitamin B2 6000 mg  
Biotin 50000 mcg  
Vitamin B6 4000 mg  
Calcium D-Pantothenate 15000 mg  
Vitamin B12 25000 mg  
L-lysine 20000 mg  
Niacin 25000 mcg  
DL Methionine 10000 mg

## BENEFITS

- In all B group deficiency
- In all stress conditions
- For better metabolism
- For normal development of feathers.

## DOSAGE

1. Poultry : 1 gm/2-4 lt. of drinking water for 5-7 days.
2. Small Animals : 5 gm/animal/day for 5-7 days.
3. Camel, Horse & Cattle : 20-50 gm/animal/day



# MULTI-VITA

## BENEFITS

- Quick stress reliever
- Stimulates antibodies production for better immunity.
- Vaccine will be utilized properly and completely.
- Improve egg production and maintains good persistency.
- Broilers become more active with good growth and body weights.

## DOSAGE

For oral administration

- Poultry swine: 1 g per 2L-2.5L water continue for 3-5 days
  - Calves, goats and sheep : 1 g per 10 kg. body weight for 3 - 5 days.
  - Cattle : 1 gram per 20 kg. body weight for 3 - 5 days.
- The above mentioned dosages should be doubled when use mixed with feed.
- Medicated drinking water should be used within 24 hours.

Each 1 Kg Contains:

Vitamin A 3750000 IU  
Vitamin D3 750000 IU  
Vitamin E 1350 mg  
Vitamin K 2500 mg  
Vitamin B1 1000 mg  
Vitamin B2 500 mg  
Vitamin B6 1000 mg

Each 1 Kg contains:

Vitamin B126.25 mg  
Vitamin C 15000 mg  
Folic Acid 1000 mg  
Manganese 400 mg  
Zinc 150 mg  
Iron 400 mg  
Methionine1500 mg  
Lysine 500 mg



# SUPER-VITA

## BENEFITS

- Prevention and treatment of vitamins and minerals deficiency
- Growth promotion
- Improvement of feed efficiency

## DOSAGE

Poultry: Administer 250-500 g per ton of drinking water (0.025-0.05%)

### Each 1 Kg Contains:

Vitamin A 6,000,000 IU  
Vitamin D3 1,200,000 IU  
Vitamin E 2000 IU  
Vitamin K3 2000 mg  
Vitamin B1 700 mg  
Vitamin B2 2500 mg  
Vitamin B6 200 mg  
Vitamin B12 2000 mcg  
Vitamin C 1000 mg

### Each 1 Kg contains:

Calcium Pantothenate 3000 mg  
DL-Methionine 5000 mg  
L-Lysine 1000 mg  
Manganese 4000 mg  
Zinc 2000 mg  
Iron 3000 mg  
Copper 250 mg  
Biotin 1000 mcg  
Glucose Q.S.



# VIT E & SE

Each 100 gm Contains:

Vitamin E: 10 g

Selenium : 100 mg

Biotin: 20 mg

Protein Hydrolysate: 2.4 mg

Carrier: q.s.

## BENEFITS

Immunity booster, to reduce heat stress and for optimum vaccine response

## DOSAGE

1. Chicks, growers, layers & breeders  
5 gm / 200 birds,
2. Broilers 5 gm / 50 birds.
3. In feed: 150 – 250 gm / ton.



# DETOCAN

## Composition:

Sodium Thiosulfate: 80 mg  
Vitamin C: 19.22 mg  
Epsom Salt (Heptahydrate): 0.54 gm  
Sodium Sulfate: 250 mg  
Iron Oxide: 10 mg  
Magnesium Carbonate: 52.5 mg  
Calcium Phosphate: 10 mg  
Ethylenediamine  
Dihydroiodide: 0.8 mg  
Food Grade Orange Flavour and  
Colour: 37.48 mg

## BENEFITS

- To overcome Constipation.
- To purgative action for Camel, Cattle and Horse, Sheep. As an Appetizer & Carminative in Cattle & Camels.

## DOSAGE

1. Camel: For Purgative action: 900 gm or give 2 gm per kg of body weight.
  2. Cattle Horses: Purgative action: 900 gm. Administer orally.
  3. Calves, Colts and Sheep: Reduce adult dosage accordingly.
- Administer Detocan Powder as a drench or via stomach tube with generous amounts of water.

Treatment may be repeated in a few hours or on the following days.



# ALC ALAX

Each 100 gm Contains:

Magnesium Carbonate: 87 gm

Sodium Carbonate: 10 gm

Herbal Extract: Q.S.

## BENEFITS

ALC Alax is indicated for the treatment of Indigestion in animals caused by over feeding like acidosis, tympanitis and constipation. It is recommended also as appetizer, ruminal tonic and non-specific detoxicant.

## DOSAGE

1. Large Animals: (Cow, Horse, Camels, buffaloes)

Disperse the contents of one pack in one liter of drinking water, given as drench.

2. Small Animals: (Calves, Sheep, goats)

Disperse 50 g. of ALC ALAX in  $\frac{1}{2}$  liter of drinking water, given as drench.



# AXCIN

## Composition:

Epsom Salt: 100%

## BENEFITS

- To Overcome constipation.
- As an appetizer & carminative in camels and cattle.

## DOSAGE

1. Camels / Horse / Cattle: 500 gm / day
2. Sheep & Goat: 50-100 gm / day



# ANIMA DUDH PLUS

## Composition:

Rumen stable bypass Fat & Protein.  
Enriched with carbohydrates,  
chleated chromium & probiotics.

## BENEFITS

- Better milk production
- Increase fat, protein content in milk
- Improve health & reproductive performance

## DOSAGE

Cattle & Buffalo: 100 g or 1.0-1.5% daily in feed



# ANIMA BUTA

## Composition:

Sodium Butyrate with probiotics

## BENEFITS

- Increase daily body weight gain
- Faster rumen and intestine development
- Improve feed utilization
- Strong antimicrobial action

## DOSAGE

1. 1-3 months – 25 g/day
2. Above 3 month – 35 g/day



# ALCDE-SF

Each 10 ml contains:

Vitamin A: 125000 IU

Vitamin D3: 65000 IU

Vitamin E: 475 mg

Biotin: 505 mcg

Chromium: 6400 mcg

Selenium: 310 mcg

## BENEFITS

- Increase milk production & health
- Improve growth & development in small animals
- Aids in recovery of convalescent animals

## DOSAGE

1. Cattle & Buffalo: 10 ml daily
2. Calf & Sheep: 5 ml daily



# CALCI CUP

Each 10 ml Contains:

Calcium Gluconate: 890 mg

Calcium D saccharate: 4.5 mg

Cholecalciferol: 1650 IU

Ferric Ammonium Citrate: 165 mg

Vitamin B12: 16.75 mcg

## BENEFITS

- Better milk production & increase milk fat percentage
- Prevent of milk fever & other calcium deficiencies in pregnant & lactating animals

## DOSAGE

1. Cattle & Buffalo : 50 ml twice daily
2. Calf, Foal, Sheep Goat & Pig: 20 ml twice daily
3. Horse : 50 ml twice daily



# ALC VIT GOLD

## Each ml Contains:

|             |               |
|-------------|---------------|
| Vitamin A   | 12000 IU      |
| Vitamin D3  | 6000 IU       |
| Vitamin E   | 48 IU         |
| Vitamin B12 | 20 mcg        |
| Vitamin H   | 500 mcg       |
| Energy      | 0.65 calories |

## BENEFITS

- For maintenance of Udder Health, to improve milk production and proper feed utilization

## DOSAGE

1. Cattle & Buffalo: 10 ml/day
2. Calves: 5 ml/day



# ALC MULTI VIT

## Each 5 ml Contains:

|               |           |
|---------------|-----------|
| Vitamin A     | 250000 IU |
| Vitamin D3    | 25000 IU  |
| Vitamin C     | 500 mg    |
| Vitamin E     | 150 mg    |
| L-Lysine      | 25 mg     |
| DL-Methionine | 10 mg     |

## BENEFITS

- Excellent palatability & acceptability.
- Contains microfine powder which reduces sedimentation rate allowing the particles to remain suspended.
- Complete calcium & phosphorus for bio-availability.

## DOSAGE

1. Cattle & Buffalo: 25 ml/day
2. Calves: 5 ml/day
3. Poultry: 50 ml/day



## ALC MIX GOLD

### Each ml Contains:

Calcium 3250 mg  
Phosphorus 1625 mg  
Vitamin D3 6000 IU  
Vitamin B12 200 mcg  
Copper 500 mg  
Manganese 60 mg  
Zinc 500 mg  
Shatavari 100 mg  
Jivanti 30 mg  
Ashwagandha 2 mg  
Shatavari 2 mg  
Jivanti 2 mg

### BENEFITS

- Increases milk production, percentage of milk Fat & SNF
- Ensures letdown of milk
- Improves appetite, digestion & health improves fertility

### DOSAGE

1. Cattle & Buffalo: 100 ml/day
2. Calf: 20 ml twice daily



## ALC MILK MORE

Each 100 ml contains:

Calcium 2000 mg  
Phosphorus 1000 mg  
Vitamin A 4800 IU  
Vitamin D3 8000 IU  
Vitamin B12 100 mcg  
Cobalt 50 mg  
Selenium 100 mg  
Zinc 125 mg  
Protein 120 mg  
Shatavari 500 mg  
Jivanti 500 mg

### BENEFITS

- Excellent palatability & acceptability.
- Contains microfine powder which reduces sedimentation rate allowing the particles to remain suspended.
- Complete calcium & phosphorus for bio-availability.

### DOSAGE

1. Cattle & Buffalo & Horse: 100 to 120ml daily
2. Sheep, Goats & Calves: 40 to 80 ml daily
3. Poultry
  - Chicks: 10 ml daily
  - Grower & Broiler: 25 ml daily
  - Layer: 50 ml daily



## GROWTH PROMOTER

Each 500 ml contains:

Methionine 127.6 g  
Cholin Chloride 61.125 g  
Lysine hydrochloride 63.125 g  
Calcium 1.5 g  
Magnesium 0.600 g  
Iron 0.200 g  
Manganese 0.350 g  
Zinc 0.200 g  
Copper 0.150 g  
Cobalt 0.200 g  
Phosphorus 0.150 g  
Potassium 0.300 g  
Sodium chloride 1000 g  
Yeast extract 20 g

### BENEFITS

- Nonspecific Anorexia & off feed conditions.
- Liver disorders, Hepatitis and Jaundice.
- Recover the fast Gastro Intestinal Diseases & disturbed gut microflora.
- Debility & General weakness.
- Parasitic, General & Blood protozon diseases.
- Supportive therapy with Antibiotics.
- Nervous disorders.

### DOSAGE

1. Cattle & Buffalo & Horse: 110 to 120ml daily
2. Sheep, Goats & Calves: 30 to 60 ml daily
3. Poultry
  - Chicks: 10 ml daily
  - Grower & Broiler: 25 ml daily
  - Layer: 50 ml daily



## VITAMIN B COMPLEX

Each 5 ml contains:

Vitamin B1 7 mg.

Vitamin B2 2.5 mg.

Vitamin B6 1 mg.

Vitamin B12 12.5 mcg.

Biotin 25 mcg.

Calcium Pantothenate 2.5 mg.

Niacin 75 mg.

Choline Chloride 10mg.

Methionine 10 mg.

Lysine 20 mg.

Cobalt sulphate 4mg.

### BENEFITS

- Nonspecific Anorexia & off feed conditions.
- Liver disorders, Hepatitis and Jaundice.
- Recover the fast Gastro Intestinal Diseases & disturbed gut microflora.
- Debility & General weakness.
- Parasitic, General & Blood protozon diseases.
- Supportive therapy with Antibiotics.
- Nervous disorders.

### DOSAGE

1. Cattel & Horse 30-50 ml.
2. Calf, Sheep, Goat & Pig 10-20 ml.
3. Dog 5-10 ml.
4. Poultry for 100 birds Chicks 5-6 ml.
5. Growers / Broilers 8-10 ml.
6. Layers 10-15 ml.

